


Arlington Accessory Dwelling Regulations

Virginia Housing Commission May 7, 2018

ARLINGTON

History

- 2009: Arlington's accessory dwelling regulations implemented
 - 20 approved
- 2015: Affordable Housing Master Plan adopted, with guidance to review AD regulations for increased flexibility
- Spring 2017: Draft recommendations developed, with staff and citizen input
- November 2017: Revised regulations adopted by County Board



Background

- Affordable Housing Master Plan
 - Identified ADs as an existing tool to:
 - Provide an adequate supply of housing
 - Help older adults age in place
 - Provide a typically lower-priced housing alternative
 - Enable homeowners to receive additional income
- Robust public engagement
 - Working Group
 - Community forum and survey
 - Advisory groups and Commission review

Demographics

- Older adult households are expected to grow three times faster than other households
- Many older adults want to remain in Arlington but worry about rising housing costs
- Average age of homeowner creating an AD in Arlington is 55
- Sharp decline in the number of market affordable housing units
- Affordable housing gap of 7,000 units
- Average rent charged for an AD in Arlington is \$1,000

What is an Accessory Dwelling

- In Arlington, an accessory dwelling (AD) is an independent dwelling unit that:
 - Has its own kitchen and bath
 - Is within a single family detached house or in a detached accessory building existing prior to November 27, 2017
 - Is designed, arranged, used or intended for occupancy by not more than three persons
 - Has a separate entrance
- AD must meet building code requirements for a separate unit:
 - fire separation, fire egress, separate heating and air handling

Building Code

- Concerns that complying with the Building Code made the cost of creating an accessory dwelling prohibitive
- Arlington's Building Official submitted a proposal which would have lessened the requirements
- Proposal was not approved by the Virginia Board of Housing and Community Development

Cost



- Attached accessory dwelling typically range from \$20,000 to \$100,000
- Most accessory dwellings are major construction projects
- The average calculated cost of creating an AD in Arlington is \$85,000
- Detached ADs tend to cost \$45,000 more than an attached AD



Goals for Revised Zoning

 Add flexibility to create additional accessory dwellings

 Maintain single-family neighborhood character



Lot Area/Width Requirements

	Prior	Adopted
Minimum lot area	Lot must meet minimum area requirements of zoning district	Accessory dwellings allowed on all lots with one-family dwellings (no additional
Minimum lot width	50-foot minimum lot width required	restrictions on nonconforming lots)



Size of Accessory Dwellings

	Prior	Adopted
Attached	1/3 of combined GFA up to maximum of 750 sf	 No limitation on size of an accessory dwelling wholly within a basement. Maximum of 35% of the combined floor area of the main and accessory dwelling, up to maximum of 750 sf (when any portion of the accessory dwelling is above basement)
Detached	Not allowed	 Maximum of 35% of the combined floor area of the main and accessory dwelling, up to maximum of 750 sf



Detached Accessory Dwellings

Prior	Adopted	
Not allowed	 Detached accessory buildings existing prior to November 27, 2017 may be altered to make interior alterations to create an accessory dwelling No accessory dwelling shall be located in a detached accessory building built after November 27, 2017. 	

County Board directed the County Manager to return to the Board with options on setbacks for new detached accessory dwellings built after the date of adoption.

Detached accessory dwellings



560 sf footprint, **750** sf maximum size, **1** foot setback as viewed from above



Design Requirements

	Prior	Adopted
Entrance on corner lot	AD on a corner lot cannot have entrance visible from street	Remove requirement
Entrance in relation to main dwelling entrance	Entrance to AD may not be on same side of house as main entrance to main dwelling	Remove requirement
Exterior stairs to second story AD	AD with an entrance above the first floor cannot have exterior stairs visible from the street	Exterior stairs to a second story AD cannot be on the same side of house that faces a street



Occupancy Requirements

	Prior	Adopted
Maximum occupancy	2 persons	3 persons
Owner- occupancy	Required	Require owner to live in either main or accessory dwelling. However, allow entire property to be occupied by no more than one-family if owner does not occupy one of the dwellings.
Prior occupancy	Owner must live in the main dwelling for at least one year prior to approval of an AD	No prior occupancy requirement
Home occupations	No contractors or service businesses allowed as a home occupation	All home occupations allowed in the main dwelling allowed in the accessory dwelling



Compliance Requirements

	Prior	Adopted
Deed covenant	Required	No change
Affidavit of compliance	 Required as follows: At initial occupancy When any structural changes are made to the AD Annually When new tenant(s) move in 	 Required as follows: Upon change in ownership of the main dwelling When any structural changes are made to the AD
Annual inspections and complaints	Owner agrees to cooperate with Code Enforcement staff for annual inspections and for complaints	No change
Annual Limit (cap)	28 per year	No limit



Accessory Homestay Requirements

	Prior	Adopted
Attached ADs	Accessory homestay allowed in attached accessory dwellings	No change
Detached AD	Accessory homestay is not allowed in detached accessory buildings	Accessory homestay allowed in detached accessory buildings only when it is approved as an accessory dwelling



Parking Requirements

	Prior	Adopted
Existing off- street parking spaces	 If one parking space exists, it must be maintained If two parking spaces exist, both must be maintained If no existing parking spaces, either: Create one on-site space; or If a parking survey indicates the block is <65 % parked, no off-street parking spaces required 	
Tandem spaces	If two or more spaces that are not tandem, then at least two such spaces shall be maintained	Two spaces maintained may be in any configuration



Questions?